

A Check-List of the Mecoptera of the World

Norman D. Penny (*)
George W. Byers (**)

Abstract

All known species of recent Mecoptera are catalogued; reference is given to original descriptions; and known distributions are recorded. New names for two junior homonyms (*Panorpa issiki* = *Panorpa acuta* Issiki & Cheng, and *Panorpa banksiana* = *Panorpa interrupta* Banks) are included, and one new synonymy (*Panorpa galloisi* Miyake = *Panorpa cornigera* MacLachlan) is noted.

INTRODUCTION

The insect order Mecoptera has become increasingly better known in recent years due to such publications as Schlee's (1977) bibliography of literature on the order; Kaltenbach's (1978) summary of the entire order; Byers' (1965c) study of family-level classification; Penny's (1977) revision of the family Boreidae; and faunal works by Martynova (1954, 1957, 1959) for the U.S.S.R., Cheng (1957a) for China, Byers (1965a) for Indo-China, Byers (1971b) and Londt (1972) for Africa, Riek (1954, 1973) for Australia, Rust and Byers (1976) for India, and Chau and Byers (1978) for Indonesia.

Not since Esben-Petersen's (1921) monographic revision has a compilation been available of all the species of Mecoptera. Since that time 41 per cent of known genera and 68 per cent of known species have been described. This check-list is provided as an aid to furthering comprehensive knowledge of the Mecoptera.

Two divergent trends among the faunal regions are shown in Tables 1 and 2. One trend, found in the Australian, Nearctic and Neotropical Regions, is toward great diversity at the family and generic levels, but relatively few species. The other trend, existing in

the Ethiopian, Oriental and Palearctic Regions, is toward slight diversity at the family and generic levels but great diversity at the species level. For example, in the combined Australian, Nearctic, and Neotropical areas can be found representatives of all families and of 25 of the 29 known genera of Mecoptera, but only 28 per cent of the known species. Conversely, the other three regions contain only four families and seven genera of Mecoptera, but 72 per cent of the known species. Actually, the Nearctic Region appears to be somewhat intermediate, having a large number of families and genera, but also a fairly high number of species. More study needs to be given to the reasons for this dichotomy.

TABLE 1. Distribution of taxa of Mecoptera by region

Faunal Region	Families	Genera	Species
Australian	5	11	27
Ethiopian	1	2	53
Nearctic	5	7	72
Neotropical	3	9	34
Oriental	2	4	190
Palearctic	3	4	94

TABLE 2. Distribution of taxa of Mecoptera found only in a region

Faunal Region	Families	Genera	Species
Australian	1	10	27
Ethiopian	0	1	53
Nearctic	0	4	72
Neotropical	1	7	34
Oriental	0	2	190
Palearctic	0	1	94

(*) Instituto Nacional de Pesquisas da Amazônia, Manaus.

(**) Dep. of Entomology, University of Kansas, Lawrence, U.S.A.

Another observation is the relative scarcity of Mecoptera on islands. No Mecoptera have been found on Madagascar, although several species are recorded from nearby parts of Africa. In the South Pacific, only one endemic species exists in New Zealand. In the Caribbean, Mecoptera are known only from Trinidad. In most island areas where Mecoptera are known (i.e., Japan, Taiwan, Sri Lanka (Ceylon), Borneo, Java, Sumatra, Tioman Island, Trinidad and St. Paul Island) (*) there is a geological history of relatively recent land connection to the adjacent continent. This suggests low vagility in the Mecoptera.

In the following list, when a scientific name is followed by two authors' names, the first indicates original describer, and the second the name of the author who first changed the generic status of the species. Valid subspecific names follow the specific names as non-indented trinominals, while synonymized subspecies are indented. Varieties have been omitted. This list includes names received up to 1 December 1978. The name Esben-Petersen has been abbreviated as E.-P.

Two species are recorded as previously unresolved junior homonyms, and they have been given new names. The first, *Panorpa*

issiki, was originally named *Panorpa acuta* by Issiki and Cheng in 1947. However, this name is predated by *Panorpa acuta* Carpenter (1931). The second junior homonym was originally described as *Panorpa interrupta* by Banks in 1918. However, in 1913 Longinos Navás described *Aulops interrupta*, which was later synonymized with *Panorpa japonica*. As the generic name *Aulops* has also been synonymized with *Panorpa*, if the species name *Aulops interrupta* is resurrected, it would be called *Panorpa interrupta*. Thus, the need to change the name proposed by Banks. We have named this species *Panorpa banksiana* in honor of its original describer.

One new synonymy is also included. *Panorpa galloisi* Navás (1913) has long been considered a synonym of *Panorpa cornigera* MacLachlan (1887). One pale variety of *Panorpa galloisi* Navás was collected at the same place and day as the type of *Panorpa galloisi* Miyake (1911). Based on published descriptions, noted variation between *Panorpa galloisi* Miyake and *Panorpa galloisi* Navás can be interpreted as intraspecific variation, and thus both *Panorpa galloisi* Miyake and *Panorpa galloisi* Navás are synonyms of *Panorpa cornigera* MacLachlan.

Family APTEROPANORPIDAE

APTEROPANORPA Carpenter (1941)

Apteropanorpa tasmanica Carpenter (1941)

Tasmania

Family BITTACIDAE

ANABITTACUS Kimmins (1929)

Anabittacus iridipennis Kimmins (1929)

Chile

ANOMALOBITTACUS Kimmins (1928)

Anomalobittacus gracilipes Kimmins (1928)

South Africa

APTEROBITTACUS MacLachlan (1893)

Apterobittacus apterus (MacLachlan) MacLachlan (1893)

U.S.A.

Bittacus apterus MacLachlan (1871)

AUSTROBITTACUS Riek (1954)

Austrobittacus anomalus Riek (1954)

Australia

(*) The Snow Entomological Museum has a specimen of *Bittacus* from Socotra Island which apparently does not fit in this category.

BITTACUS Latreille (1805)	
= Leptobittacus Hine (1898)	
= Thyridates Navás (1908)	
= Diplostigma Navás (1908)	
= Haplodictyus Navás (1908)	
= Klugius Navás (1926a)	
Bittacus aequalis Navás (1914)	eastern Africa
Bittacus africanus E.-P. (1915)	western Africa
Bittacus alluaudi Navás (1914)	eastern Africa
= Bittacus jeanneli Navás (1914)	
= Bittacus zavattarii Capra (1939)	
Bittacus andinus Londt & Byers (1974)	Bolivia, Peru
Bittacus angrensis Souza Lopes & Mangabeira (1942)	Brazil
Bittacus annae Londt (1972)	South Africa
Bittacus apicalis Hagen (1861)	U.S.A.
= Haplodictyus apicalis (Hagen) Navás (1908)	
= Haplodictyus incertus Navás (1926b)	
Bittacus appendiculatus E.-P. (1927)	China
Bittacus armatus Tjeder (1956b)	Rhodesia, South Africa
Bittacus banksi E.-P. (1915)	Mexico to Panama
Bittacus berlandi Capra (1939)	Tanzania
= Bittacus rhombicus Kimmins (1957)	
Bittacus boraceiensis Morgante (1967)	Brazil
Bittacus boranicus Capra (1939)	E. Africa
Bittacus brasiliensis Klug (1838)	Argentina, Brazil
Bittacus brunneus E.-P. (1927)	Paraguay
Bittacus bullatus Londt (1972)	South Africa
Bittacus burgeoni Navás (1930b)	Zaïre
Bittacus burmanus Tjeder (1974)	Burma
Bittacus byersi Londt (1972)	South Africa
Bittacus capensis (Thunberg) Klug (1838)	South Africa
= Panorpa capensis Thunberg (1784)	
Bittacus caprai Londt (1972)	Rhodesia, Zambia
Bittacus carpenteri Cheng (1957a)	China
Bittacus chevalieri (Navás) E.-P. (1921)	western Africa
= Haplodictyus chevalieri Navás (1908)	
Bittacus chilensis Klug (1838)	Chile
= Thyridates chilensis (Klug) Navás (1908)	
Bittacus chlorostigma MacLachlan (1881)	western U.S.A.
Bittacus chujoi Issiki & Cheng (1947)	Taiwan
Bittacus cirratus Tjeder (1956a)	Manchuria
= Bittacus zoensis Cheng (1957a)	
Bittacus contumax Tjeder (1956a)	China
Bittacus coreanus Issiki (1929b)	China, Korea
Bittacus cottrelli Londt (1972)	South Africa
Bittacus discors Navás (1914)	eastern Africa
= Bittacus patrizii Navás (1929)	
Bittacus diversinervis Souza Lopes & Mangabeira (1942)	Brazil
Bittacus elisabethae Navás (1930b)	Zaïre
Bittacus erythrostigma Byers (1975b)	Uganda, Zaïre
Bittacus femoralis Klug (1838)	Brazil

Bittacus flavesiensis Klug (1838)	Brazil
= <i>Klugius flavesiensis</i> (Klug) Navás (1926a)	
= <i>Bittacus affinis</i> Westwood (1846)	
Bittacus formosanus Issiki (1927)	Taiwan
Bittacus fumosus E.-P. (1913b)	Kenya
Bittacus geniculatus Erichson (1848)	Guyana
Bittacus gessi Londt (1972)	South Africa
Bittacus gressitti Cheng (1957a)	China
Bittacus hageni Brauer (1860)	Europe
Bittacus henryi Kimmins (1928)	Sri Lanka
Bittacus homburgerae Navás (1933a)	Fr. Guinea
Bittacus indicus Walker (1853)	India
Bittacus insularis E.-P. (1915)	Sri Lanka
Bittacus italicus (Müller) Klug (1838)	southern Europe
= <i>Panorpa italicica</i> Müller (1766)	
= <i>Panorpa tipularia</i> Fabricius (1775)	
= <i>Bittacus tipularius</i> (Fabricius) Latreille (1805)	
= <i>Panorpa tipuloides</i> Schrank (1776)	
Bittacus kagoshimaensis Issiki (1929b)	Japan
Bittacus kimminsi Tjeder (1956b)	South Africa
Bittacus kunenensis Wood (1933)	Southwest Africa
Bittacus lachlani Navás (1925)	Kenya
Bittacus laevipes Navás (1909)	Japan
Bittacus latipennis Gerstaecker (1885)	India
Bittacus leptocaudus Byers (1965a)	Thailand
Bittacus leptocercus Navás (1934)	Eastern Africa
Bittacus lineatus Navás (1914)	Kenya
= <i>Bittacus similis</i> Kimmins (1957)	
Bittacus maculatus Issiki (1927)	Taiwan
Bittacus maculosus Byers (1965b)	Trinidad
Bittacus malaisei Tjeder (1974)	Burma
Bittacus marginatus Miyake (1913)	Japan
Bittacus mastrillii Navás (1913b)	Japan
Bittacus mexicanus Klug (1838)	Mexico
Bittacus milleri Londt (1978)	South Africa
Bittacus montanus Weele (1910)	Angola, Cameroon, Kenya, Malawi, Rhodesia, Rwanda, Tanzania, Uganda
= <i>Bittacus woodi</i> Smithers (1959)	
Bittacus moschinus Navás (1914)	Malawi, Tanzania, Zambia
Bittacus nebulosus Klug (1838)	Mozambique, South Africa
Bittacus nipponicus Navás (1909)	Japan
Bittacus nodosus Rust & Byers (1976)	India, Pakistan
Bittacus occidentis Walker (1853)	North America
= <i>Bittacus arizonicus</i> Banks (1911)	
Bittacus omega Morgante (1967)	Brazil
Bittacus oreinus Navás (1914)	Ethiopia
Bittacus panamensis Byers (1958)	Panama
Bittacus peringueyi E.-P. (1913b)	South Africa

<i>Bittacus peterseni</i> Kimmins (1938)	South Africa
<i>Bittacus pieei</i> Navás (1935a)	China
<i>Bittacus pignatelli</i> Navás (1932a)	Panama
<i>Bittacus pilicornis</i> Westwood (1846)	eastern U.S.A.
<i>Bittacus pinguipalpi</i> Wood (1933)	Southwest Africa
<i>Bittacus pintoi</i> Souza Lopes & Mangabeira (1942)	Brazil
<i>Bittacus planus</i> Cheng (1949)	China
<i>Bittacus pobequini</i> (Navás) E.-P. (1913b)	Congo, Ghana, Ivory Coast, Nigeria
= <i>Haplodictyus pobequini</i> Navás (1908)	
= <i>Bittacus kongoloensis</i> Lestage (1929)	Uganda
<i>Bittacus pondoensis</i> Londt (1972)	South Africa
<i>Bittacus punctiger</i> Westwood (1846)	eastern N.A.
<i>Bittacus rossi</i> Londt (1977)	Zaïre
<i>Bittacus schoutedeni</i> E.-P. (1913b)	Zaïre
= <i>Bittacus lestagei</i> Kimmins (1957)	
<i>Bittacus selysi</i> E.-P. (1917)	South Africa
<i>Bittacus sinensis</i> Walker (1853)	eastern Asia
= <i>Diplostigma sinense</i> (Walker) Navás (1908)	
= <i>Bittacus quaternipunctatus</i> Enderlein (1910)	
= <i>Bittacus strategus</i> Navás (1913b)	
<i>Bittacus sinicus</i> Issiki (1931)	China
<i>Bittacus sjostedti</i> Weele (1910)	Kenya, Tanzania
<i>Bittacus smithersi</i> Londt (1972)	South Africa
<i>Bittacus sobrinus</i> Tjeder (1956b)	South Africa
<i>Bittacus solitarius</i> Tjeder (1956b)	Rhodesia
<i>Bittacus sonani</i> Issiki (1929b)	Taiwan
<i>Bittacus stanleyi</i> Byers (1968)	Zaïre
<i>Bittacus stigmaterus</i> Say (1823)	North America
= <i>Bittacus pallidipennis</i> Westwood (1846)	
<i>Bittacus striatus</i> Issiki (1927)	Taiwan
<i>Bittacus strigosus</i> Hagen (1861)	North America
= <i>Leptobittacus strigosus</i> (Hagen) Hine (1898)	
<i>Bittacus takaoensis</i> Miyake (1913)	Japan
= <i>Haplodictyus polemicus</i> Navás (1913c)	
<i>Bittacus taraiensis</i> Penny (1969)	India
<i>Bittacus testaceus</i> Klug (1838)	Rhodesia, South Africa
= <i>Bittacus brincki</i> Tjeder (1956b)	
<i>Bittacus texanus</i> Banks (1908)	U.S.A.
<i>Bittacus tienmushana</i> Cheng (1957a)	China
<i>Bittacus tjederi</i> Londt (1970)	South Africa
<i>Bittacus triangularis</i> Issiki (1929b)	Korea, Manchuria
<i>Bittacus tuxeni</i> Byers (1975b)	Guinea
<i>Bittacus vexilliferus</i> Byers (1970)	China
<i>Bittacus vumbanus</i> Smithers (1960)	Rhodesia
<i>Bittacus wahlbergi</i> Londt (1972)	South Africa
<i>Bittacus walkeri</i> E.-P. (1915)	South Africa
= <i>Bittacus angulosus</i> Tjeder (1956b)	
<i>Bittacus weelei</i> E.-P. 1913b)	central Africa
= <i>Bittacus longistigma</i> Navás (1926c)	
= <i>Bittacus negus</i> Navás (1915)	
= <i>Bittacus wittei</i> Navás (1933b)	

Bittacus zambezinus Navás (1931b)	Mozambique, Malawi
= <i>Bittacus natalensis</i> Wood (1933)	Rhodesia, South Africa
Bittacus zulu Londt (1972)	South Africa
 EDRIOBITTACUS Byers (1974)	
Edriobittacus microcercus (Gerstaecker) Byers (1974)	Australia
= <i>Bittacus microcercus</i> Gerstaecker (1885)	
= <i>Kalobittacus microcercus</i> (Gerstaecker) Riek (1954)	
 HARPOBITTACUS Gerstaecker (1885)	
Harpobittacus australis (Klug) Gerstaecker (1885)	Australia, Tasmania
= <i>Bittacus australis</i> Klug (1838)	
= <i>Bittacus corethrarius</i> Rambur (1842)	
= <i>Bittacus intermedius</i> Selys (1868) (female)	
Harpobittacus australis rubripes Riek (1954)	Australia
Harpobittacus brewerae Smithers (1973)	Australia
Harpobittacus limnaeus Smithers (1973)	Australia
Harpobittacus migratus Navás (1932b)	Australia
Harpobittacus nigriceps (Selys) Gerstaecker (1885)	Australia
= <i>Bittacus nigriceps</i> Selys (1868)	
= <i>Bittacus intermedius</i> Selys (1868) (male)	
= <i>Harpobittacus intermedius</i> (Selys) Gerstaecker (1885) (ma	
Harpobittacus phaeoscius Riek (1954)	Australia
Harpobittacus rubricatus (Riek) Smithers (1973)	Australia
= <i>Harpobittacus tillyardi rubricatus</i> Riek (1954)	
Harpobittacus scheibeli E.-P. (1935)	Australia
Harpobittacus similis E.-P. (1935)	Australia
Harpobittacus tillyardi E.-P. (1915)	Australia
Harpobittacus tillyardi albatus Riek (1954)	Australia
 ISSIKIELLA Byers (1972)	
Issikiella pulchra Byers (1972)	Brazil
 KALOBITTACUS E.-P. (1914)	
Kalobittacus bimaculatus E.-P. (1914)	Mexico
Kalobittacus hubbelli Byers (1965b)	Honduras
Kalobittacus ramosus Byers (1958)	Panama
 NANNOBITTACUS E.-P. (1927)	
Nannobittacus elegans E.-P. (1927)	Brazil
Nannobittacus tjederi Byers (1965b)	Colombia, Panama Venezuela
 NEOBITTACUS E.-P. (1914)	
Neobittacus aripuanaensis Penny (1977b)	Brazil
Neobittacus blancheti (Pictet) E.-P. (1914)	Brazil
= <i>Bittacus blancheti</i> Pictet (1836)	
 PAZIUS Navás (1913a)	
Pazius flinti Byers (1977)	Panama
Pazius furcatus Byers (1957)	Venezuela
Pazius gracilis (Navás) Navás (1913a)	Peru
= <i>Bittacus gracilis</i> Navás (1908)	
Pazius obtusus Byers (1957)	Panama
Pazius ornaticaudus Penny (1977b)	Brazil
Pazius pectinatus Byers (1977)	Ecuador

TYTTHOBITACUS Smithers (1973)
Tytthobittacus macalpinei Smithers (1973)

Australia

Family BOREIDAE

BOREUS Latreille (1816)	
= Ateleptera Dalman (1823)	
= Euboreus Lestage (1940)	
Boreus beybienkoi Tarbinsky (1962)	U.S.S.R.
Boreus borealis Banks (1923)	Alaska
Euboreus borealis (Banks) Lestage (1940)	
Boreus brumalis Fitch (1847)	eastern N.A.
Euboreus brumalis (Fitch) Lestage (1940)	
Boreus californicus Packard (1870)	western N.A.
Boreus unicolor Hine (1901)	
Euboreus unicolor (Hine) Lestage (1940)	
Boreus isolatus Carpenter (1935)	
Euboreus isolatus (Carpenter) Lestage (1940)	
Boreus californicus fuscus Carpenter (1935)	
Euboreus californicus (Packard) Lestage (1940)	
Boreus chagzhigireji Pliginsky (1914)	U.S.S.R.
Boreus coloradensis Byers (1955)	western N.A.
Boreus elegans Carpenter (1935)	western N.A.
Euboreus elegans (Carpenter) Lestage (1940)	
Boreus hyemalis (Linnaeus) Latreille (1816)	western Europe
Panorpa hyemalis Linnaeus (1767)	
Gryllus proboscideus Panzer (1796)	
Bittacus hiemalis (Linnaeus) Latreille (1805)	
Boreus hiemalis (Linnaeus) Latreille (1817)	
Ateleptera hiemalis (Linnaeus) Dalman (1823)	
Boreus gigas Brauer (1876)	
Boreus intermedius Lloyd (1934)	Alaska
Euboreus intermedius (Lloyd) Lestage (1940)	
Boreus kratochvili Mayer (1938)	Czechoslovakia
Boreus lokayi Klapálek (1901)	Romania
Boreus navasi Pliginsky (1914)	U.S.S.R.
Boreus aktijari Pliginsky (1914)	
Boreus nivoriundus Fitch (1847)	eastern N.A.
Euboreus nivoriundus (Fitch) Lestage (1940)	
Boreus nix Carpenter (1935)	western N.A.
Euboreus nix (Carpenter) Lestage (1940)	
Boreus gracilis Carpenter (1935)	
Euboreus gracilis (Carpenter) Lestage (1940)	
Boreus orientalis Martynova (1954)	eastern U.S.S.R.
Boreus pilosus Carpenter (1935)	western N.A.
Euboreus pilosus (Carpenter) Lestage (1940)	
Boreus reductus Carpenter (1933)	western N.A.
Euboreus reductus (Carpenter) Lestage (1940)	
Boreus semenovi Pliginsky (1930)	U.S.S.R.
Euboreus semenovi (Pliginsky) Lestage (1940)	
Boreus sjostedti Navás (1926d)	U.S.S.R.
Boreus vlasovi Martynova (1954)	U.S.S.R.

Boreus westwoodi Hagen (1866)	western Europe
= Boreus boldyrevi Navás (1911)	
= Boreus tarnanii Navás (1911)	

HESPEROBOREUS Penny (1977a)

Hesperoboreus brevicaudus (Byers) Penny (1977a)	western U.S.A.
= Boreus brevicaudus Byers (1961)	
Hesperoboreus notoperates (Cooper) Penny (1977a)	western U.S.A.
= Boreus notoperates Cooper (1972)	

Family CHORISTIDAE

CHORISTA Klug (1838)

= Euphania Westwood (1846)	
Chorista australis Klug (1838)	Australia
Chorista luteola (Westwood) Riek (1973)	Australia
= Euphania luteola Westwood (1846)	

NEOCHORISTA Riek (1973)

Neochorista insolita Riek (1973)	Australia
Neochorista ruficeps (Newman) Riek (1973)	Australia
= Panorpa ruficeps Newman (1850)	
= Chorista ruficeps (Newman) E.-P. (1921)	
= Chorista victoriensis Issiki (1931)	

TAENIOCHORISTA E.-P. (1914)

Taeniochorista bifurcata Riek (1973)	Australia
Taeniochorista nigrita Riek (1973)	Australia
Taeniochorista pallida E.-P. (1914)	Australia
Taeniochorista similis Riek (1973)	Australia

Family MEROPEIDAE

AUSTROMEROPE Killington (1933)

Austromerope poultoni Killington (1933)	Australia
--	-----------

MEROPE Newman (1838)

Merope tuber Newman (1838)	eastern U.S.A.
-----------------------------------	----------------

Family NANNOCHORISTIDAE

MICROCHORISTA Byers (1974)

= Choristella Tillyard (1917) (preoccupied)	
Microchorista philpotti (Tillyard) Byers (1974)	New Zealand
= Choristella philpotti Tillyard (1917)	

NANNOCHORISTA Tillyard (1917)

Nannochorista dipterooides Tillyard (1917)	Australia, Tasmania
Nannochorista dipterooides eboraca (Tillyard) Riek (1954)	Australia
= Nannochorista eboraca Tillyard (1917)	
Nannochorista edwardsi Kimmins (1929)	Argentina, Chile
Nannochorista holostigma Tillyard (1917)	Tasmania
Nannochorista maculipennis Tillyard (1917)	Tasmania
Nannochorista neotropica Navás (1928a)	Chile

Famiiy NOTIOTHAUMIDAE (*)

NOTIOTHAUMA MacLachlan (1877)

Notiothauma reedi MacLachlan (1877)

Chile

Family PANORPIDAE

LEPTOPANORPA MacLachlan (1875)

=**Himanturella** Enderlein (1910)

Leptopanorpa charpentieri (Burmeister) E.-P. (1915)

=**Panorpa charpentieri** Burmeister (1839)

=**Neopanorpa linguata** Navás (1914)

=**Leptopanorpa linguata** (Navás) E.-P. (1921)

Leptopanorpa cingulata (Enderlein) Byers (1967)

Java, Sumatra

=**Campodotecnum cingulatum** Enderlein (1912)

=**Neopanorpa cingulata** (Enderlein) E.-P. (1921)

=**Leptopanorpa erythrura** Lieftinck (1936)

Leptopanorpa filicauda Lieftinck (1936)

Java

Leptopanorpa inconspicua Lieftinck (1936)

Java

Leptopanorpa jacobsoni (Weele) E.-P. (1921)

Java

=**Panorpa jacobsoni** Weele (1909)

Leptopanorpa javanica (Westwood) E.-P. (1921)

Java

=**Panorpa javanica** Westwood (1842)

=**Campodotecnum javanicum** (Westwood) Enderlein (1910)

Leptopanorpa nematogaster (MacLachlan) MacLachlan (1875)

Java

=**Panorpa nematogaster** MacLachlan (1869)

=**Neopanorpa nematogaster** (MacLachlan) Weele (1909)

=**Himanturella nematogaster** (MacLachlan) Enderlein (1910)

=**Leptopanorpa sieboldi** MacLachlan (1875)

Leptopanorpa peterseni Lieftinck (1936)

Java

Leptopanorpa pi (Weele) Lieftinck (1936)

Java

=**Panorpa pi** Weele (1909)

=**Campodotecnum lemniscata** Enderlein (1912)

=**Neopanorpa lemniscata** (Enderlein) E.-P. (1921)

=**Leptopanorpa brachyura** Lieftinck (1934) (nomen nodum)

Leptopanorpa pi decorata Lieftinck (1936)

Java

Leptopanorpa ritsemae MacLachlan (1875)

Java

=**Leptopanorpa longicauda** Weele (1909)

=**Himanturella tubifera** Enderlein (1910)

Leptopanorpa robusta Lieftinck (1936)

Java

Leptopanorpa sarangana Lieftinck (1936)

Java

NEOPANORPA Weele (1909)

=**Campodotecnum** Enderlein (1910)

Neopanorpa angustiopicula Chau & Byers (1978)

Java

Neopanorpa angustipennis (Westwood) E.-P. (1913c)

Burma

=**Panorpa angustipennis** Westwood (1842)

=**Campodotecnum angustipennis** (Westwood) Enderlein (1910)

Neopanorpa annamensis Byers (1965a)

Vietnam

Neopanorpa apicata Navás (1922)

China

Neopanorpa appendiculata (Westwood) E.-P. (1915)

India

=**Panorpa appendiculata** Westwood (1846)

(*) Ponomarenko and Rasnitsyn (1974) have pointed out that since some fossil forms have recently been placed in this family, the family name should more properly be Eomeropidae. We prefer to retain the name Notiothaumidae pending further study of the fossil forms.

Neopanorpa banksi Carpenter (1938)	China
Neopanorpa baviensis Cheng (1953)	Vietnam
Neopanorpa benaci Navás (1935b)	India
Neopanorpa borneensis Byers (1966)	Borneo
Neopanorpa brisi (Navás) Carpenter (1938)	India
= <i>Leptopanorpa brisi</i> Navás (1930a)	
= <i>Neopanorpa pilosa</i> Carpenter (1945)	
Neopanorpa burmana Byers (1965a)	Burma
Neopanorpa cantonensis Cheng (1957a)	China
Neopanorpa carpenteri Cheng (1957a)	China
Neopanorpa cavaleriei (Navás) E.-P. (1921)	China
= <i>Panorpa cavaleriei</i> Navás (1908)	
Neopanorpa caveata Cheng (1957a)	China
Neopanorpa chaoi Cheng (1957a)	China
Neopanorpa chelata Carpenter (1938)	China
Neopanorpa chillcotti Byers (1971a)	Nepal
Neopanorpa choui Cheng (1949)	China
Neopanorpa claripennis Carpenter (1938)	China
Neopanorpa contracta Cheng (1953)	India
Neopanorpa cornuta E.-P. (1915)	India
Neopanorpa crinita Chau & Byers (1978)	Sumatra
Neopanorpa cuspidata Byers (1965a)	Thailand
Neopanorpa denticulata Rust & Byers (1976)	India
Neopanorpa diloba Chau & Byers (1978)	Java
Neopanorpa dimidiata Navás (1930a)	China
Neopanorpa dispar Issiki & Cheng (1947)	Taiwan
Neopanorpa dorsalis Byers (1965a)	Vietnam
Neopanorpa echinata Rust & Byers (1976)	India
Neopanorpa effusa (Navás) Byers (1917a)	Nepal
= <i>Campodotecnum effusum</i> Navás (1913c)	
= <i>Leptopanorpa effusa</i> (Navás) E.-P. (1921)	
Neopanorpa fenestrata (Needham) E.-P. (1915)	India
= <i>Panorpa fenestrata</i> Needham (1909)	
Neopanorpa flava E.-P. (1915)	Sikkim
Neopanorpa flavicauda Banks (1930b)	Borneo
Neopanorpa formosana (Navás) E.-P. (1915)	Taiwan
= <i>Campodotecnum formosanum</i> Navás (1911)	
= <i>Panorpa formosana</i> (Navás) Miyake (1913)	
Neopanorpa formosensis Navás (1930c)	Taiwan
Neopanorpa fractura Chau & Byers (1978)	Sumatra
Neopanorpa furcata (Hardwicke) Byers (1971)	Nepal
= <i>Panorpa furcata</i> Hardwicke (1825)	
= <i>Leptopanorpa furcata</i> (Hardwicke) E.-P. (1915)	
Neopanorpa fuscicauda Chau & Byers (1978)	Java
Neopanorpa gestroi Navás (1929)	Burma
Neopanorpa gibbosa Rust & Byers (1976)	India
Neopanorpa gradana Cheng (1952)	Taiwan
Neopanorpa harmandi (Navás) Navás (1930c)	Thailand, Vietnam
= <i>Panorpa harmandi</i> Navás (1908)	
Neopanorpa harmandi conjuncta Navás (1930c)	Thailand
Neopanorpa heii Cheng (1949)	China
Neopanorpa hirsuta (Crampton) Carpenter (1931b)	India
= <i>Panorpa hirsuta</i> Crampton (1931)	

Neopanorpa huangshana Cheng (1957a)	China
Neopanorpa hyalinata E.-P. (1913)	Java
= <i>Campodotecnum falcatum</i> Navás (1913c)	
Neopanorpa indica Rust & Byers (1976)	India
Neopanorpa infuscata Banks (1930a)	Malaysia, Thailand
Neopanorpa k-maculata Cheng (1952)	Taiwan
Neopanorpa kwangtsehi Cheng (1957a)	China
Neopanorpa lacunaris Navás (1930a)	China
Neopanorpa latipennis Cheng (1949)	China
Neopanorpa lichuanensis Cheng (1957b)	China
Neopanorpa lieftincki Chau & Byers (1978)	Sumatra
Neopanorpa lungtausana Cheng (1957b)	China
Neopanorpa maai Cheng (1957a)	China
Neopanorpa magna Issiki (1927)	Taiwan
Neopanorpa makii Issiki (1927)	Taiwan
Neopanorpa mokansana Cheng (1957b)	China
Neopanorpa mulleri (Weele) E.-P. (1915)	Java
= <i>Panorpa mulleri</i> Weele (1909)	
= <i>Panorpa mulleri ungaranensis</i> Weele (1909)	
Neopanorpa mutabilis Cheng (1957a)	China
Neopanorpa nielseni Byers (1965a)	Vietnam
Neopanorpa nigritis Carpenter (1938)	China
Neopanorpa nipalica (Navás) E.-P. (1915)	India, Sikkim
= <i>Panorpa nipalica</i> Navás (1910)	
= <i>Auleps suffusa</i> Navás (1913b)	
Neopanorpa ocellaris (Navás) E.-P. (1921)	Sikkim
= <i>Panorpa ocellaris</i> Navás (1908)	
Neopanorpa ochrura Rust & Byers (1976)	India
Neopanorpa ornata Byers (1965a)	Vietnam
Neopanorpa ovata Cheng (1957a)	China
Neopanorpa panda Byers (1965a)	Vietnam
Neopanorpa parva Carpenter (1945)	China
Neopanorpa parvula Willmann (1976)	Vietnam
Neopanorpa pendulifera Byers (1965a)	Thailand
Neopanorpa pielina Navás (1936)	China
Neopanorpa pulchra Carpenter (1945)	China
Neopanorpa ramulata Byers (1975a)	Nepal
Neopanorpa salai Navás (1928b)	India
Neopanorpa sauteri (E.-P.) E.-P. (1915)	Taiwan
= <i>Panorpa sauteri</i> E.-P. (1912)	
Neopanorpa siamensis Byers (1965a)	Thailand
Neopanorpa sordida (Needham) E.-P. (1915)	India
= <i>Panorpa sordida</i> Needham (1909)	
Neopanorpa spatulata Byers (1965a)	Thailand
Neopanorpa spicata Byers (1966)	Borneo
Neopanorpa sumatrana Chau & Byers (1978)	Sumatra
Neopanorpa taoi Cheng (1949)	China
Neopanorpa thai Byers (1965a)	Thailand
Neopanorpa tiennushana Cheng (1957a)	China
Neopanorpa tiomanensis Byers (1966)	Tioman Is.
Neopanorpa translucida Cheng (1957a)	China
Neopanorpa tuberosa Byers (1965a)	Thailand

Neopanorpa umbonata Chau & Byers (1978)	Sumatra
Neopanorpa validipennis Cheng (1949)	China
Neopanorpa varia Cheng (1949)	China
Neopanorpa vietnamensis Willmann (1976)	Vietnam
Neopanorpa zebra E.-P. (1915)	India
PANORPA Linnaeus (1758)	
= Panorpha (sic) Radernacher (1779)	
= Aulops Enderlein (1910)	
= Estenalla Navás (1912)	
Panorpa acuta Carpenter (1931a)	U.S.A.
Panorpa akasakai Issiki (1929b)	Taiwan
Panorpa alpina Rambur (1842)	Europe
= Aulops alpina (Rambur) Enderlein (1910)	
= Panorpa variabilis Brauer (1857)	
Panorpa americana Swederus (1787)	U.S.A.
= Panorpa fasciata Fabricius (1793)	
Panorpa amurensis MacLachlan (1872)	eastern Asia
= Aulops amurensis (MacLachlan) Enderlein (1910)	
Panorpa angustistriata Issiki (1929b)	Taiwan
Panorpa annexa MacLachlan (1869)	France, Germany
= Panorpa ghiliani MacLachlan (1869)	
= Panorpa adnexa (sic) Navás (1927)	
Panorpa annexa etrusca Willmann (1976c)	Italy
Panorpa anomala Carpenter (1931a)	U.S.A.
= Panorpa proximata Carpenter (1931a)	
Panorpa antiporum Nagler (1968)	Romania
Panorpa apiconebulosa Issiki (1929b)	Taiwan
Panorpa approximata E.-P. (1915)	Korea
Panorpa arakavae Miyake (1913)	Japan
Panorpa arcuata (Navás) E.-P. (1915)	U.S.S.R.
= Estenalla arcuata Navás (1912)	
Panorpa aspoecki Willmann (1973)	Turkey
Panorpa aurea Cheng (1957a)	China
Panorpa azteca Byers (1958)	Mexico
Panorpa banksi Hine (1901)	U.S.A.
= Panorpa affinis Banks (1895) (preoccupied)	
= Panorpa chelata Carpenter (1931a)	
Panorpa banksiana Penny & Byers n. novum	U.S.A.
= Panorpa interrupta Banks (1918) (preoccupied)	
Panorpa baohwashana Cheng (1957a)	China
Panorpa bicornuta MacLachlan (1887)	Japan
= Aulops bicornuta (MacLachlan) Enderlein (1910)	
= Panorpa magnicauda Miyake (1910)	
Panorpa bifida Carpenter (1935)	U.S.A.
Panorpa bistriata Issiki (1929b)	Taiwan
Panorpa bonis Cheng (1949)	China
Panorpa braueri Carpenter (1931a)	U.S.A.
Panorpa brevititilana Issiki (1929b)	Taiwan
Panorpa bunun Issiki (1929b)	Taiwan
Panorpa carolinensis Banks (1905)	U.S.A.
Panorpa carpenteri Cheng (1957a)	China
Panorpa caucasica MacLachlan (1869)	Iran
= Aulops caucasica (MacLachlan) Enderlein (1910)	

<i>Panorpa centralis</i> Tjeder (1936)	China
<i>Panorpa cheni</i> Cheng (1957a)	China
<i>Panorpa chiensis</i> Cheng (1953)	Korea
<i>Panorpa cladocerca</i> Navás (1935a)	China
<i>Panorpa claripennis</i> Hine (1901)	U.S.A.
<i>Panorpa clavigera</i> Klapálek (1902)	Asia, Europe
<i>Panorpa cognata</i> Rambur (1842)	western Europe
<i>Panorpa cognata osellai</i> Willmann (1976c)	Italy
<i>Panorpa communis</i> Linnaeus (1758)	Asia, Europe
= <i>Panorpa vulgaris</i> Imhoff & Labram (1845)	Europe
<i>Panorpa communis raelei</i> Lauterbach (1970)	Taiwan
<i>Panorpa concolor</i> E.-P. (1915)	Caucasus Mts.
<i>Panorpa connexa</i> MacLachlan (1869)	U.S.A.
<i>Panorpa consuetudinis</i> Snodgrass (1927)	China
= <i>Panorpa elaborata</i> Carpenter (1931a)	Korea
<i>Panorpa coomani</i> Cheng (1957a)	Japan
<i>Panorpa coreana</i> Okamoto (1925)	Japan
<i>Panorpa cornigera</i> MacLachlan (1887)	Japan
= <i>Aulops cornigera</i> (MacLachlan) Enderlein (1910)	China
= <i>Panorpa galloisi</i> Miyake (1911) (homonym) new synonymy	U.S.A.
= <i>Panorpa galloisi</i> Navás (1913) (homonym)	China
<i>Panorpa cornigera fulvicaudaria</i> Miyake (1910)	Taiwan
<i>Panorpa curva</i> Carpenter (1938)	China
<i>Panorpa davidi</i> Navás (1908)	China
<i>Panorpa debilis</i> Westwood (1846)	U.S.A.
= <i>Panorpa canadensis</i> Banks (1895)	Taiwan
<i>Panorpa deceptor</i> E.-P. (1913a)	China
<i>Panorpa diceras</i> MacLachlan (1894)	China
= <i>Panorpa grahami</i> Carpenter (1938)	U.S.A.
<i>Panorpa difficilis</i> Carpenter (1938)	U.S.A.
<i>Panorpa dissimilis</i> Carpenter (1931a)	China
<i>Panorpa dubitans</i> Carpenter (1931a)	Taiwan
<i>Panorpa emarginata</i> Cheng (1949)	Taiwan
<i>Panorpa esakii</i> Issiki (1929b)	Taiwan
<i>Panorpa falsa</i> Issiki & Cheng (1947)	China
<i>Panorpa flavigorialis</i> Cheng (1957a)	China
<i>Panorpa flavipennis</i> Carpenter (1938)	U.S.A.
<i>Panorpa flexa</i> Carpenter (1935)	China
<i>Panorpa fructa</i> Cheng (1949)	China
<i>Panorpa fukiensis</i> Tjeder (1951)	China
<i>Panorpa galerita</i> Byers (1962a)	North America
<i>Panorpa germanica</i> Linnaeus (1758)	western Europe
= <i>Panorpa affinis</i> Leach (1815)	Germany
= <i>Panorpa apicalis</i> Stephens (1835)	Balkans of
= <i>Panorpa montana</i> Brauer (1857)	southern Europe
= <i>Panorpa gibberosa</i> MacLachlan (1869)	Greece
= <i>Panorpa ruizi</i> Navás (1926e)	Turkey
= <i>Panorpa pirioni</i> Navás (1929) (nomen nudum)	
<i>Panorpa germanica riegeri</i> Lauterbach (1971)	
<i>Panorpa germanica euboica</i> Lauterbach (1972)	
<i>Panorpa germanica graeca</i> Lauterbach (1972)	
<i>Panorpa germanica rumelica</i> Lauterbach (1972)	

<i>Panorpa gokaensis</i> Miyake (1910)	Japan
<i>Panorpa gracilis</i> Carpenter (1931a)	U.S.A.
<i>Panorpa grahamana</i> Cheng (1957a)	China
<i>Panorpa gressitti</i> Byers (1970)	China
<i>Panorpa guttata</i> Navás (1908)	Tibet
<i>Panorpa hageniana</i> (Willmann) Willmann (1978)	Turkey
= <i>Panorpa turcica hageniana</i> Willmann (1975)	
<i>Panorpa hakusanensis</i> Miyake (1913)	Japan
<i>Panorpa hamata</i> Issiki & Cheng (1947)	Taiwan
<i>Panorpa helena</i> Byers (1962a)	U.S.A.
= <i>Panorpa venosa</i> authors, not Westwood (1846)	
<i>Panorpa horiensis</i> Issiki (1929a)	Taiwan
<i>Panorpa horni</i> Navás (1928)	U.S.S.R.
<i>Panorpa hungerfordi</i> Byers (1973)	U.S.A.
<i>Panorpa hybrida</i> MacLachlan (1882)	eastern Europe
= <i>Panorpa romanica</i> Bechet (1955)	
<i>Panorpa immaculata</i> E.-P. (1915)	Mexico
<i>Panorpa implicata</i> Cheng (1957a)	China
<i>Panorpa indivisa</i> Martynova (1957)	eastern U.S.S.R.
<i>Panorpa insolens</i> Carpenter (1935)	U.S.A.
<i>Panorpa isolata</i> Carpenter (1931a)	U.S.A.
= <i>Panorpa decorata</i> Carpenter (1931a)	
<i>Panorpa issikiana</i> Byers (1970)	China
<i>Panorpa issikii</i> Penny & Byers n. novum	Taiwan
= <i>Panorpa acuta</i> Issiki & Cheng (1947) (preoccupied)	
<i>Panorpa japonica</i> Thunberg (1784)	Japan
= <i>Aulops japonica</i> (Thunberg) Enderlein (1910)	
= <i>Panorpa macrogaster</i> MacLachlan (1867)	
= <i>Aulops macrogaster</i> (MacLachlan) Enderlein (1910)	
= <i>Panorpa japonica macrogaster</i> (MacLachlan) Miyake (1913)	
= <i>Panorpa irregularis</i> Miyake (1910)	
= <i>Panorpa nipponensis</i> Miyake (1908)	
= <i>Panorpa pulchra</i> Miyake (1908)	
= <i>Aulops pulchra</i> (Miyake) Enderlein (1910)	
= <i>Panorpa rectifasciata</i> Miyake (1908)	
= <i>Aulops rectifasciata</i> (Miyake) Enderlein (1910)	
= <i>Panorpa sinanoensis</i> Miyake (1908)	
= <i>Aulops sinanoensis</i> (Miyake) Enderlein (1910)	
= <i>Panorpa dyscola</i> Navás (1908) (female)	
= <i>Panorpa hageni</i> Navás (1909)	
= <i>Aulops interrupta</i> Navás (1913)	
= <i>Panorpa leucothyria</i> Navás (1908)	
= <i>Aulops leucothyria</i> (Navás) Navás (1911)	
<i>Panorpa kamikotiensis</i> Issiki (1929a)	Japan
<i>Panorpa kellogi</i> Cheng (1957b)	China
<i>Panorpa kimminsi</i> Carpenter (1948)	China
<i>Panorpa kirismaensis</i> Issiki (1929a)	Japan
<i>Panorpa kiusiuensis</i> Issiki (1929b)	Japan
<i>Panorpa klapperichi</i> Tjeder (1951)	China
<i>Panorpa klugi</i> MacLachlan (1867)	Japan
= <i>Aulops klugi</i> (MacLachlan) Enderlein (1910)	
= <i>Panorpa ochracea</i> Miyake (1908)	
= <i>Aulops ochracea</i> (Miyake) Enderlein (1910)	
= <i>Panorpa drouarti</i> Navás (1908)	
= <i>Aulops drouarti</i> (Navás) Navás (1911)	

= <i>Panorpa dyscola</i> Navás (1908) (male)		
= <i>Aulops dyscola</i> (Navás) Navás (1911)		
= <i>Aulops trisignata</i> Navás (1913b)		
<i>Panorpa komaensis</i> Okamoto (1925)	Korea	
<i>Panorpa kongosana</i> Okamoto (1925)	Korea	
<i>Panorpa lacedaemonia</i> Lauterbach (1972)	Greece	
= <i>Panorpa germanica corcyraea</i> (Lauterbach) Ward (1978)		
<i>Panorpa iachlani</i> Navás (1930d)	Taiwan	
<i>Panorpa latipennis</i> Hine (1901)	U.S.A.	
= <i>Panorpa longipennis</i> Banks (1911)		
<i>Panorpa leei</i> Cheng (1949)	China	
<i>Panorpa leucoptera</i> Uhler (1858)	Japan	
= <i>Aulops leucoptera</i> (Uhler) Enderlein (1910)		
= <i>Panorpa nikkoensis</i> Miyake (1908)		
= <i>Aulops nikkoensis</i> (Miyake) Enderlein (1910)		
<i>Panorpa lewisi</i> MacLachlan (1887)	Japan	
= <i>Aulops lewisi</i> (MacLachlan) Enderlein (1910)		
= <i>Panorpa chuzenjiensis</i> Miyake (1910)		
<i>Panorpa lintienshana</i> Cheng (1952)	Taiwan	
<i>Panorpa longicornis</i> Carpenter (1931a)	U.S.A.	
<i>Panorpa longiramina</i> Issiki & Cheng (1947)	Taiwan	
<i>Panorpa longititilana</i> Issiki (1929b)	Taiwan	
<i>Panorpa lugubris</i> Swederus (1787)	U.S.A.	
= <i>Aulops lugubris</i> (Swederus) Enderlein (1910)		
= <i>Panorpa scorpio</i> Fabricius (1793)		
= <i>Bittacus scorpio</i> (Fabricius) Latreille (1807)		
<i>Panorpa lutea</i> Carpenter (1945)	China	
<i>Panorma maculosa</i> Hagen (1861)	U.S.A.	
<i>Panorpa meridionalis</i> Rambur (1842)	southern Europe	
<i>Panorpa mexicana</i> Banks (1913)	Mexico	
<i>Panorpa mirabilis</i> Carpenter (1931a)	U.S.A.	
<i>Panorpa mokansana</i> Cheng (1957b)	China	
<i>Panorpa multifasciaria</i> Miyake (1910)	Japan	
<i>Panorpa navasi</i> Issiki (1929a)	Japan	
<i>Panorpa nebulosa</i> Westwood (1846)	U.S.A.	
<i>Panorpa neglecta</i> Carpenter (1931a)	U.S.A.	
<i>Panorpa nigrirostris</i> MacLachlan (1882)	Iran, U.S.S.R.	
= <i>Panorpa selysi</i> E.-P. (1915)		
<i>Panorpa nipponensis</i> Navás (1908)	Japan	
= <i>Aulops nipponensis</i> (Navás) Navás (1911)		
= <i>Panorpa brachypennis</i> Miyake (1908)		
= <i>Aulops brachypennis</i> (Miyake) Enderlein (1910)		
= <i>Aulops dentata</i> Navás (1913)		
= <i>Aulops picea</i> Navás (1913b)		
= <i>Aulops valignanii</i> Navás (1913b)		
= <i>Panorpa klugi maculata</i> Miyake (1913)		
= <i>Panorpa klugi quadrimaculata</i> Miyake (1913)		
<i>Panorpa nokoensis</i> Issiki (1929b)	Taiwan	
<i>Panorpa nuptialis</i> Gerstaecker (1863)	U.S.A.	
<i>Panorpa obliqua</i> Carpenter (1945)	China	
<i>Panorpa obscura</i> Miyake (1910)	Japan	
<i>Panorpa obtusa</i> Cheng (1949)	China	
<i>Panorpa ochraceoauda</i> Issiki (1927)	Taiwan	
<i>Panorpa ochraceopennis</i> Miyake (1910)	Japan	

<i>Panorpa okamotoana</i> Issiki (1927)	Korea
<i>Panorpa ophtalmica</i> (Navás) Miyake (1913)	Taiwan
= <i>Neopanorpa ophthalmica</i> Navás (1911)	
<i>Panorpa orientalis</i> MacLachlan (1887)	Japan
= <i>Aulops melania</i> Navás (1912)	
= <i>Panorpa sachalinensis</i> Matsumura (1911)	
<i>Panorpa pallidimaculata</i> Issiki (1929b)	Taiwan
<i>Panorpa palustris</i> Byers (1958)	eastern U.S.A.
<i>Panorpa pectinata</i> Issiki (1929b)	Taiwan
<i>Panorpa penicillata</i> Byers (1962b)	Mexico
<i>Panorpa peterseana</i> Issiki (1927)	Taiwan
<i>Panorpa picta</i> Hagen (1863)	Caucasus
<i>Panorpa pieli</i> Cheng (1957a)	China
<i>Panorpa pieperi</i> Willmann (1975)	Turkey
<i>Panorpa pliticensis</i> Lauterbach (1972)	Yugoslavia
<i>Panorpa pryeri</i> MacLachlan (1875)	Japan
= <i>Aulops preyeri</i> (MacLachlan) Enderlein (1910)	
= <i>Panorpa bouvieri</i> Navás (1908)	
= <i>Aulops bouvieri</i> (Navás) Navás (1911)	
<i>Panorpa preyeri major</i> Miyake (1908)	Japan
<i>Panorpa pseudoalpina</i> Nagler (1970)	Romania
<i>Panorpa punctata</i> Klug (1838)	Mexico
<i>Panorpa pura</i> Klapálek (1906)	Asia, Europe
<i>Panorpa pusilla</i> Cheng (1949)	China
<i>Panorpa rantaianensis</i> Issiki (1929b)	Taiwan
<i>Panorpa robusta</i> Carpenter (1931a)	U.S.A.
<i>Panorpa rufa</i> Gray (1832)	U.S.A.
<i>Panorpa rufescens</i> Rambur (1842)	U.S.A.
= <i>Panorpa venosa</i> Westwood (1846)	
= <i>Panorpa confusa</i> Westwood (1846)	
<i>Panorpa rufostigma</i> Westwood (1846)	Albania
<i>Panorpa schweigeri</i> Willmann (1975)	Turkey
<i>Panorpa semifasciata</i> Cheng (1949)	China
<i>Panorpa setifera</i> Webb (1974)	U.S.A.
<i>Panorpa sexspinosa</i> Cheng (1949)	China
<i>Panorpa shibatai</i> Issiki (1929b)	Taiwan
<i>Panorpa similis</i> E.-P. (1915)	U.S.S.R.
<i>Panorpa sigmoides</i> Carpenter (1931a)	U.S.A.
<i>Panorpa similis</i> E.-P. (1915)	Caucasus
<i>Panorpa sonani</i> Issiki (1929b)	Taiwan
<i>Panorpa speciosa</i> Carpenter (1931a)	U.S.A.
<i>Panorpa statura</i> Cheng (1949)	China
<i>Panorpa stigmialis</i> Navás (1908)	Tibet
= <i>Campodotecnum stigmialis</i> (Navás) Navás (1911)	
<i>Panorpa stotzneri</i> E.-P. (1934)	China
<i>Panorpa striata</i> Miyake (1908)	Japan
= <i>Aulops striata</i> (Miyake) Enderlein (1910)	
<i>Panorpa subfurcata</i> Westwood (1846)	U.S.A.
= <i>Panorpa signifer</i> Banks (1900)	
= <i>Panorpa modesta</i> Carpenter (1931a)	
<i>Panorpa submaculosa</i> Carpenter (1931a)	U.S.A.
= <i>Panorpa utahensis</i> Gurney (1937)	
<i>Panorpa subulifera</i> Byers (1962b)	U.S.A.

<i>Panorpa susteri</i> Nagler (1970)	Romania
<i>Panorpa taiheisanensis</i> Issiki (1929a)	Taiwan
<i>Panorpa taiwanensis</i> Issiki (1929b)	Taiwan
<i>Panorpa takenouchii</i> Miyake (1908) = <i>Aulops takenouchii</i> (Miyake) Enderlein (1910)	Japan
<i>Panorpa tatvana</i> Willmann (1974)	Turkey
<i>Panorpa tatvana ressli</i> Willmann (1975)	Turkey
<i>Panorpa terminata</i> Klug (1838)	Mexico
<i>Panorpa tetrazonia</i> Navás (1935a)	China
<i>Panorpa thompsoni</i> Cheng (1957b)	China
<i>Panorpa thrakica</i> Willmann (1976)	European Turkey
<i>Panorpa tincta</i> Navás (1931a)	China
<i>Panorpa titschacki</i> E.-P. (1934)	Greece
<i>Panorpa tjederi</i> Carpenter (1938)	China
<i>Panorpa trifasciata</i> Cheng (1957a)	China
<i>Panorpa trizonata</i> Miyake (1908) = <i>Aulops trizonata</i> (Miyake) Enderlein (1910)	Japan
<i>Panorpa tsunekatanus</i> Issiki (1929b)	Japan
<i>Panorpa turcica</i> Willmann (1975)	Turkey
<i>Panorpa turcica anatolica</i> Willmann (1975)	Turkey
<i>Panorpa turcica pontica</i> Willmann (1975)	Turkey
<i>Panorpa typicoides</i> Cheng (1949)	China
<i>Panorpa vernalis</i> Byers (1973)	U.S.A.
<i>Panorpa virginica</i> Banks (1906)	U.S.A.
<i>Panorpa waongkehzengi</i> Navás (1935a)	China
<i>Panorpa wormaldi</i> MacLachlan (1875) = <i>Aulops wormaldi</i> (MacLachlan) Enderlein (1910)	Japan
<i>Panorpa wrighti</i> Cheng (1957b)	China
<i>Panorpa yiei</i> Issiki & Cheng (1947)	Taiwan

Family PANORPODIDAE

BRACHYPANORPA Carpenter (1931a)	
<i>Brachypanorpa carolinensis</i> (Banks) Carpenter (1931a)	U.S.A.
= <i>Panorpodes carolinensis</i> Banks (1905)	
<i>Brachypanorpa jaffersoni</i> Byers (1976)	U.S.A.
<i>Brachypanorpa montana</i> Carpenter (1931a)	U.S.A.
<i>Brachypanorpa oregonensis</i> (MacLachlan) Carpenter (1931a)	U.S.A.
= <i>Panorpodes oregonensis</i> MacLachlan (1881)	
PANORPODES MacLachlan (1875)	
<i>Panorpodes apicalis</i> Miyake (1910)	Japan
= <i>Panorpa naevia</i> Navás (1909)	
<i>Panorpodes decorata</i> MacLachlan (1887)	Japan
= <i>Panorpodes notata</i> Navás (1909)	
<i>Panorpodes decorata confusa</i> Miyake (1913)	Japan
<i>Panorpodes decorata limbata</i> (Navás) Miyake (1913)	Japan
= <i>Panorpa limbata</i> Navás (1909)	
<i>Panorpodes decorata singularis</i> (Miyake) Miyake (1913)	Japan
= <i>Panorpodes singularis</i> Miyake (1910)	
<i>Panorpodes komaensis</i> Okamoto (1925)	Korea
<i>Panorpodes paradoxa</i> MacLachlan (1875)	Japan
<i>Panorpodes paradoxa stigmatica</i> Miyake (1913)	Japan
<i>Panorpodes pulchra</i> Issiki (1927)	Japan

Resumo

Citamos de todas as espécies conhecidas de Mecoptera, com as citações bibliográficas originais e respetiva distribuição geográfica. Dados sobre a diversidade das famílias, gêneros e espécies são apresentados, bem como notadas duas homônimias e uma sinonímia.

LITERATURE CITED (*)

BANKS, NATHAN

- 1895 — New Neuropteroid insects. *Trans. Am. ent. Soc.* 22:313-316.
- 1900 — New genera and species of Nearctic neuropteroid insects. *Trans. Am. ent. Soc.* 26:239-259.
- 1905 — Descriptions of new species of neuroptorous insects from the Black Mountains, N.C. *Bull. Am. Mus. nat. Hist.* 21:215-218.
- 1906 — Three new species of Neuroptera. *Psyche, Camb.* 13:98-100.
- 1908 — Neuropteroid insects. Notes and descriptions. *Trans. Am. ent. Soc.* 34:255-267.
- 1911 — Descriptions of new species of North American neuropteroid insects. *Trans. Am. ent. Soc.* 37:335-360.
- 1913 — Synopsis and descriptions of exotic Neuroptera. *Trans. Am. ent. Soc.* 39:201-242.
- 1918 — New neuropteroid insects. *Bull. Mus. comp. Zool. Harv.* 62:1-22.
- 1923 — Mecoptera. In McAtee, Insects, Arachnida, and Chilopods of the Pribilof Islands, Alaska. U.S.D.A., Bureau of Biological Survey, *N. Am. Fauna.* 46:158.
- 1930a — Some neuropteroid insects from the Malay peninsula. *J. fed. Malay St. Mus.* 16:377-409.
- 1930b — Some neuropteroid insects from North Borneo, particularly from Mt. Kinabalu, 13,455 ft. *J. fed. Malay St. Mus.* 16:411-429.

BECHET, I.

- 1955 — Specii de Panorpate in Fauna R.P.R. (Nota I). Studii si cercetari stiintifice. *Filiala Cluj, Academia R.R.R., Ser. 2 Stiinte biologica agricole si medicale.* 6:53-57.

BRAUER, F.

- 1860 — *Bittacus hageni*, eine neue europäische Art, beschrieben und mit den verwandten Arten verglichen. *Verh. zool. bot. Ges. Wien.* 10:691-696.

BRAUER, F.

- 1876 — Die Neuropteren Europas und insbesondere Oesterreichs mit Rücksicht auf ihre geographische Verbreitung. *Festschr. zur Feier d. 25-jähr. Bestehens d. k.k. zool.-bot. Ges.* 1876:263-300.

BRAUER, F. & LÖW, F.

- 1857 — Neuroptera austriaca. 1-80. Wien.

BURMEISTER, H.

- 1839 — *Handbuch der Entomologie*. Bd. 2, Teil 2, 757-1050. Berlin.

BYERS, G.W.

- 1955 — A new species of *Boreus* (Mecoptera: Boreidae) from Colorado. *Occ. Pap. Mus. Zool. Univ. Mich.* 562:1-4.

- 1957 — The neotropical genus *Pazius* (Mecoptera: Bittacidae). *Occ. Pap. Mus. Zool. Univ. Mich.* 582:1-7.

- 1958 — Descriptions and distributional records of American Mecoptera. *J. Kans. ent. Soc.* 31:213-222.

- 1961 — An unusual new species of *Boreus* (Mecoptera: Boreidae) from Oregon. *J. Kans. ent. Soc.* 34:73-78.

- 1962a — Type specimens of nearctic Mecoptera in European museums, including descriptions of new species. *Ann. ent. Soc. Am.* 55:466-476.

- 1962b — Descriptions and distributional records of American Mecoptera. II. *J. Kans. ent. Soc.* 35:299-307.

- 1965a — The Mecoptera of Indo-China. *Pacif. Insects.* 7:705-748.

- 1965b — New and uncommon Neotropical Mecoptera. *J. Kans. ent. Soc.* 38:135-144.

- 1965c — Families and genera of Mecoptera. *Proc. XII. int. Congr. Ent., London 1964.* P. 123.

- 1966 — Mecoptera from Borneo and Tioman Island. *Pacif. Insects.* 8:885-892.

- 1968 — A new *Bittacus* from the Congo (Mecoptera: Bittacidae). *J. Kans. ent. Soc.* 41:34-36.

- 1970 — New and little known Chinese Mecoptera. *J. Kans. ent. Soc.* 43:383-394.

- 1971a — A new *Neopanorpa* from Nepal. *J. Kans. ent. Soc.* 44:534-539.

- 1971b — An illustrated, annotated catalogue of African Mecoptera. *Kans. Univ. Sci. Bull.* 49:389-436.

(*) Abbreviations of journal names are in accordance with *World List of Scientific Periodicals*, whenever possible. Publication dates for articles are in accordance with Schlee & Schlee (1976).

- 1972 — A new genus of Mecoptera from Brazil. *J. Kans. ent. Soc.* 45:340-346.
- 1973 — Descriptions and distributional records of American Mecoptera. III. *J. Kans. ent. Soc.* 46:362-375.
- 1974 — New generic names for Mecoptera of Australia and New Zealand. *J. Austr. ent. Soc.* 13:165-167.
- 1975a— Ergebnisse der Bhutan Expedition 1972 des Naturhistorischen Museums in Basel. Mecoptera: Fam. Panorpidae. *Entomologica Basiliensis*. 1:87-91.
- 1975b— Descriptions and distributional records of African Mecoptera. *J. ent. Soc. Sth Afr.* 38:217-222.
- 1976 — A new Appalachian *Brachypanorpa* (Mecoptera: Panorpidae). *J. Kans. ent. Soc.* 49:433-440.
- 1977 — Revision of the genus *Pazius* (Mecoptera: Bittacidae). *Revta. Biol. tropical.* 25:109-121.
- CAPRA, F.
- 1939 — Planipennia, Mecoptera. *Missione biol. Paese dei Borana.* 13:157-178.
- CARPENTER, F.M.
- 1931a— Revision of the Nearctic Mecoptera. *Bull. Mus. comp. Zool. Harv.* 72:205-277.
- 1931b— *Neopanorpa hirsuta* (Crampton). *Psyche, Camb.* 38:184-185.
- 1933 — A new *Boreus* from British Columbia (Mecoptera). *Can Ent.* 65:94-95.
- 1935 — New Nearctic Mecoptera, with notes on other species. *Psyche, Camb.* 42:105-122.
- 1938 — Mecoptera from China, with descriptions of new species. *Proc. ent. Soc. Wash.* 40:267-281.
- 1941 — A new genus of Mecoptera from Tasmania. *Pap. Proc. R. Soc. Tasm.* 1940:51-53.
- 1945 — Panorpidae from China (Mecoptera). *Psyche, Camb.* 52:70-78.
- 1948 — Notes on Chinese Panorpidae (Mecoptera). *Psyche, Camb.* 55:28-30.
- CHAU, H. C-S. & BYERS, G.W.
- 1978 — The Mecoptera of Indonesia: genus *Neopanorpa*. *Univ. Kans. Sci. Bull.* 51:341-405.
- CHENG, F.Y.
- 1949 — New species of Mecoptera from Northwest China. *Psyche, Camb.* 56:139-173.
- 1952 — Additions to the Mecopterous fauna of Formosa. *Psyche, Camb.* 59:89-95.
- 1953 — Three new species of Panorpidae (Mecoptera). *Psyche, Camb.* 60:119-122.
- 1957a— Revision of the Chinese Mecoptera. *Bull. Mus. comp. Zool. Harv.* 116:1-118.
- 1957b— Descriptions of new Panorpidae (Mecoptera) in the collection of the California Academy of Sciences. *Mem. Coll. Agric., natn. Taiwan Univ.* 5:27-33.
- COOPER, K.W.
- 1972 — A southern California *Boreus, B. notoprates* n. sp. I. Comparative morphology and systematics. (Mecoptera: Boreidae). *Psyche, Camb.* 79:269-283.
- DALMAN, J.W.
- 1823 — *Analecta entomologica*. PP. 1-104. Holmiae.
- ENDERLEIN, G.
- 1910 — Über die Phylogenie und Klassifikation der Mecopteren unter Berücksichtigung der fossilen Formen. *Zool. Ang.* 35:385-399.
- 1912 — Zur Kenntnis der Mecopteren Javas. *Notes Leyden Mus.* 34:235-239.
- ERICHSON, W.F.
- 1848 — Insecten. Pp. 553-617 In Schomburgk, R. Reisen in Britisch-Guiana in den Jahren 1840-1844. Bd. 3, *Versuch einer Fauna und Flora von Britisch-Guiana.* 533-1260. Liepzig.
- ESBEN-PETERSEN, P.
- 1912 — H Sauters Formosa-Ausbeute : Neuroptera Planipennia. *Ent. Mitt.* 1:197-198.
- 1913a— H. Sauter's Formosa-Ausbeute. Planipennia II, Megaloptera and Mecoptera. *Ent. Mitt.* 2:222-228, 257-265.
- 1913b— Notes on African Bittacidae. *Revue zool. afr.* 3:135-145.
- 1913c— Mecoptera and Planipennia collected in Java by Edward Jacobson. *Notes Leyden Mus.* 35:225-236.
- 1914 — New genera and species of Mecoptera. *Ent. Meddr.* 10:129-132.
- 1915 — A synonymic list of the order Mecoptera together with descriptions of new species. *Ent. Meddr.* 10:216-242.
- 1917 — Two species of Bittacidae (Neuroptera) from South Africa. *Ann. S. Afr. Mus.* 17:187-190.
- 1921 — Mecoptera. Monographic Revision *Coll. zool. E. de Selys Longchamps.* 5:1-172.
- 1927 — New and little-known species of Mecoptera and Neuroptera in the Zoological Museum of Helsingfors. *Notul. ent.* 7:13-18.
- 1934 — Two new species of *Panorpa* Linn (Mecoptera). *Vidensk. Meddr. dansk naturh. Foren.* 97:2113-213

- 1935 — Two new species of *Harpobittacus* Gerst. (Mecoptera). *Vidensk. Meddr. dansk naturh. Foren.* 99:1-3.
- FABRICIUS, J.C.
- 1775 — *Systema Entomologiae*. Pp. 1-832. Flensburgi, Lipsiae.
- 1793 — *Entomologia systematica emendata et aucta*. Bd. 2. Pp. 1-519. Hafniae, Proft.
- FITCH, A.
- 1847 — Winter insects of eastern New York. *Am. J. Agric. Sci.* 5:274-284.
- GERSTAECKER, A.
- 1863 — Über einige neue Planipennien aus den Familien Hemerobiiden und Panorpiden. *Stettin. ent. Ztg.* 24:168-188.
- 1885 — Über einige Arten der Gattung *Bittacus* Latr. *Mitt. naturw. Ver. Neu-Vorpomm.* 16:117-121.
- GRAY, G.R.
- 1832 — New species of insects of all the orders. In Griffith, E. *The Animal kingdom arranged in conformity with its organization by the Baron Cuvier*. Bd. 14:1-570; Bd. 15:1-769.
- GURNEY, A.B.
- 1937 — A new species of *Panopra* from Utah, with notes on other Nearctic species (Mecoptera). *Proc. ent. Soc. Wash.* 39:222-227.
- HAGEN, H.A.
- 1861 — Synopsis of the Neuroptera of North America with a list of the South American species. *Smithson. misc. Collns.* 4:1-347.
- HARDWICKE, T.
- 1825 — Description of the *Cermatia longicornis* and of three new insects from Nepaul. *Trans. Linn. Soc. Lond.* 14:131-136.
- HINE, J.S.
- 1898 — The North American species of the genus *Bittacus*. *J. Columbus hort. Soc.* 13:105-115.
- 1901 — A review of the Panorpidae of America north of Mexico. *Bull. scient. Labs Denison Univ.* 11:241-264.
- ISSIKI, S.
- 1927 — New and rare species of Mecoptera from Corea, Formosa and Japan. *Insecta matsum.* 2:1-12.
- 1929a — Descriptions of new species of the genus *Panopra* from Japan and Formosa. *J. Soc. trop. Afric.* 1:182-191.
- 1929b — Descriptions of new Mecoptera from the Japanese Empire. *Trans. nat. Hist. Soc. Taiwan.* 19:260-314.
- 1931 — Two new species of scorpion flies (Insecta, order Mecoptera). *Ann. Mag. nat. Hist.* 7:219-222.
- ISSIKI, S. & CHENG, F.Y.
- 1947 — Formosan Mecoptera with descriptions of new species. *Mem. Coll. Agric. natn. Taiwan Univ.* 1:1-17.
- KALTENBACH, A.
- 1978 — Mecoptera. *Handbuch der Zoologie* 4(2) 2/28:1-111.
- KILLINGTON, F.J.
- 1933 — A new genus and species of Meropidae (Mecoptera) from Australia. *Entomologist's mon. Mag.* 69:1-4.
- KIMMINS, D.E.
- 1928 — Two new Bittacidae (Mecoptera). *Ann. Mag. nat. Hist.* (Ser. 10). 1:395-396.
- 1929 — Some new and little known Argentine Neuroptera. *Revta Soc. ent. argent.* 2:187-192.
- 1938 — Some new African Neuroptera and Mecoptera. *Ann. Mag. nat. Hist.* (Ser. 11). 1:289-294.
- 1957 — New species of East African Neuroptera, Mecoptera and Trichoptera. *Ann. Mag. nat. Hist.* (Ser. 12). 10:36-41.
- KLAPÁLEK, F.
- 1901 — A novych a malo znamych druzich palaearktickych Neuropteroid. *Bulletin international (Sciences, mathematiques, et naturelles) Ceska akademie cisare Frantiska Josefa pro vedy, slovesnost a umeni v Praze.* 10:1-19.
- 1902 — Zur Kenntniss der Neuropteroiden von Ungarn, Bosnien und Herzegovina. *Természetr. Füz.* 25:161-180.
- 1906 — Prispevek ke znalosti fauny Neuropteroid Chorvatska, Slavonska i zemi sousednick. *Ceska akademie cisare Frantiska Josefa pro vedy, slovesnost a umeni v Praze.* 15:1-8.
- KLUG, F.
- 1838 — Versuch einer systematischen Feststellung der Insecten-Familie: Panorpatae und Auseinandersetzung ihrer Gattungen und Arten. *Abh. preuss. Akad. Wiss.* (1836). 1838:81-108.
- LATREILLE, P.A.
- 1805 — *Histoire naturelle, générale et particulière, des Crustacés et des Insectes*. Bd. 13:1-432.
- 1807 — *Genera crustaceorum et insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata*. Bd. 2, 1-280. Parisii et Argentorat.
- 1816 — L'histoire générale et particulière des crustacés, des arachnides et des insectes. In Latreille, P.A. et al. *Nouveau dictionnaire d' histoire naturelle*. Bd. 4:1-602.
- 1817 — Insectes. In Cuvier, G. Ch. L.D. *Le Règne Animale*. Bd. 3.

- LAUTERBACH, K.E.
- 1970 — Eine neue Rasse von **Panorpa communis** L. aus Piemont, zugleich ein Beitrag zur Kenntnis von **Panorpa vulgaris** Imhoff und Labram (Ins. - Mec.). Jh. Ges. Naturk. Wurttemberg. 125:284-290.
- 1971 — Eine neue Unterart von **Panorpa germanica** L. aus Bosnien (Mecoptera, Panorpidae). Ent. Z. Frankf. a. M. 81:65-68.
- 1972 — Zur Kenntnis der Skorpionsfliegen des Balkans (Mecoptera, Panorpidae). Dt. ent. Z. 19:109-140.
- LESTAGE, J.A.
- 1929 — Notes critiques et zoogéographiques sur les **Bittacus** africains (Mecoptera). Revue Zool. Bot. afr. 18:1-22.
- 1940 — Pour l'histoire des **Boreus** (Stégoptères-Mécoptères). I. Partie. Annals. Soc. r. zool. Belg. 71:271-320.
- LIEFTINCK, M.A.
- 1934 — Uit het leven der scorpioenvliegen (Panorpidae) Tropische Natuur. 23:64-70.
- 1936 — Studies in oriental Mecoptera I. The genus **Leptopanorpa** in Malaysia. Treubia. 15:271-320.
- LINNAEUS, C.
- 1758 — **Systemae naturae**, sive regna tria naturae systematicae proposita por classes, ordines, genera et species. 10. Auflaga. Holmiae.
- LLOYD, L.C.
- 1934 — Two species of Mecoptera from Alaska. Pan-Pacif. Ent. 10:119-120.
- LOND'T, J.G.H.
- 1970 — A new species of **Bittacus** from South Africa (Mecoptera: Bittacidae). J. ent. Soc. sth. Afr. 33:53-57.
- 1972 — The Mecoptera of southern Africa. J. ent. Soc. sth. Afr. 35:313-343.
- 1977 — Redescriptions of **Bittacus montanus** Weele, 1909, and **Bittacus schoutedeni** Esben-Petersen, 1913, with new synonymy and the description of a new central African species (Mecoptera: Bittacidae). J. ent. Soc. sth. Afr. 40:87-98.
- 1978 — A new South African **Bittacus** Latreille, 1809 and a key to southern African Bittacidae (Mecoptera). J. ent. Soc. sth. Afr. 41:189-194.
- LOND'T, J.G.H. & BYERS, G.W.
- 1974 — A new neotropical **Bittacus** with maculate wings (Mecoptera: Bittacidae). J. Kans. ent. Soc. 47:344-348.
- MARTYNOVA, O.M.
- 1954 — Skorpionnitz (Mecoptera) fauny SSSR I. Trudy zool. Lening. 15:54-66.
- 1957 — Skorpionnitz (Mecoptera) fauny SSSR. II. Semejstvo Panorpidae. Ent. Obozr. 36:721-747.
- 1959 — Skorpionnitz (Mecoptera) fauny SSSR. III. Semejstvo Bittacidae. Ent. Obozr. 38:196-199.
- MATSUMURA, S.
- 1911 — Erster Beitrag zur Insekten-Fauna von Sachalin. J. Coll. Agric. Hokkaido imp. Univ. 4:1-145.
- MAYER, K.
- 1938 — Rod **Boreus** (Panorpata-Boreidae) v Ceskoslovensku. Ent. Listy. 1:129-140.
- MACLACHLAN, R.
- 1867 — New genera and species of Neuropterous Insects; and a revision of Mr. F. Walker's British-Museum catalogue of Neuroptera, part II (1853), as far as the end of the genus **Myrmeleon**. J. Linn. Soc. 9:230-281.
- 1869 — Synopsis of the species of **Panorpa** occurring in Europe and the adjoining countries; with a description of a singular new species from Java. Trans. R. ent. Soc. Lond. 1869:59-70.
- 1871 — **Bittacus apterus** nov. sp. Entomologist's mon. Mag. 8:100-102.
- 1872 — Matériaux pour une faune névroptérologique de l'Asie septentrionale. Seconde partie. Non-Odonates. Annls. Soc. ent. Belg. 15:47-78.
- 1875 — A sketch of our present knowledge of the Neuropterous fauna of Japan (excluding Odonata and Trichoptera). Trans. R. ent. Soc. Lond. 1875:167-190.
- 1877 — On **Notiothauma reedi**, a remarkable new genus and species of Neuroptera from Chi-li, pertaining to the family Panorpidae. Trans. R. ent. Soc. Lond. 1877:427-430.
- 1881 — On two new Panorpidae from western North America. Entomologist's mon. Mag. 18:36-38.
- 1882 — A new European Panorpa. Entomologist's mon. Mag. 19:130-132.
- 1887 — Descriptions de plusieurs nouvelles espèces de Panorpides provenant du Japon et de la Sibérie orientale. Mitt. schweiz. ent. Ges. 7:400-406.
- 1893 — The genus **Harpobittacus** Gerstaeker. Ent. Nachr. 20:316-317
- 1894 — On two small collections of Neuroptera from Ta-chien-lu, in the province of Szechuan, Western China, on the frontier of Thibet. Ann. Mag. nat. Hist. (Ser. 6). 13:421-436.
- MIYAKÉ, T.
- 1908 — A list of Panorpidae of Japan, with descriptions of ten new species. Bull. Coll. Agric. Tokyo imp. Univ. 2:1-12.

- 1910 — A further contribution towards the knowledge of the Panorpidae of Japan. *J. Coll. Agric. Tokyo imp. Univ.* 2:183-205.
- 1911 — A synonymic list of the Panorpidae of Japan, with corrections to my former paper, and description of a new species. *Entomologist.* 44:90-94.
- 1913 — Studies on the Mecoptera of Japan. *J. Coll. Agric. Tokyo imp. Univ.* 4:265-400.
- MORGANTE, J.S.
- 1967 — Duas novas espécies de *Bittacus* Latreille 1807 (Mecoptera Bittacidae). *Papéis Dep. Zool. S. Paulo.* 20:55-58.
- MÜLLER, O.F.
- 1766 — Manipulus insectorum Taruinensium a Carolo Allionio editus. *Miscellania Taruinen-sis.* 3:185-198.
- NAGLER, C.
- 1968 — Les Panorpides de la collection du Musée Grigore Antipa-Bucarest. *Trav. Mus. Hist. nat. Gr. Antipa.* 8:813-820.
- 1970 — Specii noi de Panorpidae (Ord. Mecoptera). *Revta Muzeelor.* 7:54-57.
- NAVÁS, L.
- 1908 — Neurópteros nuevos. *Mems R. Acad. Cienc. Artes Barcelona.* 6:401-423.
- 1909 — Panorpides nouveaux du Japon. *Russk. ent. Obozr.* 9:273-277.
- 1910 — Description d'une nouvelle espèce de Panorpide (Neur.). *Dt. ent. Z.* 1910:288-289.
- 1911 — Névroptères nouveaux de l'extreme Orient. *Russk. ent. Obozr.* 11:111-117.
- 1912 — Une Panorpide nouvelle de la faune russe (Neuroptera). *Russk. ent. Obozr.* 12:356-357.
- 1913a — Neurópteros nuevos de América. *Brotéria.* 11:45-53.
- 1913b — Névroptères du Japon recueillis par M. Edme Gallois. *Bull. Mus. natn. Hist. nat.* 19:441-451.
- 1913c — Neuroptera asiatica. I. serie. *Russk. ent. Obozr.* 13:271-284.
- 1914 — Insectes Névroptères I. Planipennia et Mecoptera. Voyage de Ch. Alluaud et R. Jeannel en Afrique orientale (1911-1912). Résultats scientifiques. 3-52.
- 1915 — Neurópteros nuevos o poco conocidos (Cuarto serie). *Mems R. Acad. Cienc. Artes Barcelona.* 11:373-398.
- 1925 — Algunos insectos del Museo de Paris. 2.A serie *Brotéria.* 22:75-83.
- 1926a — Algunos insectos del Brasil. *Brotéria.* 23:5-15.
- 1926b — Trichoptera, Megaloptera und Neuroptera aus dem Deutsch. Entomolog. Institut (Berlin-Dahlem). II. Serie. *Ent. Mitt.* 15:57-63.
- 1926c — Algunos insectos del Museo de Paris. 3.a Serie. *Brotéria.* 23:95-115.
- 1926d — Entomologische Ergebnisse der schwedischen Kamtchatka-Expedition 1920-1922. 6. Neuroptera et Mecoptera. *Ark. Zool.* 18B(2):1-3.
- 1926e — Insectos neotropicos 2.º serie. *Revta. chil. Hist. nat.* 30:326-336.
- 1927 — Comunicaciones entomológicas 10. Mis excursiones científicas en 1927. *Revta Acad. Cienc. exact. fís-quim. nat. Zaragoza.* 11:79-137.
- 1928a — Insectos neotropicos 4.º Serie. *Revta. chil. Hist. nat.* 32:106-128.
- 1928b — Comunicaciones entomológicas 10. Insectos de la India. *Revta Acad. Cienc. exact. fís-quim. nat. Zaragoza.* 12:177-197.
- 1929 — Insectos exóticos neurópteros y afines del Museo cívico de Génova. *Annali Mus. ci-vico Storia nat. Giacomo oria.* 53:354-389.
- 1930a — Névroptères et insectes voisins — Chine et pays environnantes (Première série). *Notes Ent. chin.* 1(6):1-12.
- 1930b — Insectes du Congo Belge (Série IV). *Revue Zool. Bot. afr.* 19:305-336.
- 1930c — Insecta nova. Séries XV. Neuroptera. *Memorie Accad. pont. Nuovi Lincei.* (Serie 2). 14:409-418.
- 1930d — Insecta orientalia. VIII Series. *Memorie Accad. pont. Nuovi Lincei.* (Serie 2). 14:419-434.
- 1931a — Decadas de insectos nuevos. *Revta R. Acad. Cienc. exact. fís. nat. Madr.* 26:60-86.
- 1931b — Insectos del Museo de Paris. 7.º Serie. *Brotéria.* 27:101-113.
- 1932a — Alcuni insetti del Museo di Zoologia della R. Università di Torino. *Boll. Musei Zool. Anat. comp. R. Univ. Torino.* 42(3):1-38.
- 1932b — Décadas de insectos nuevos. *Brotéria.* 1:62-82.
- 1933a — Insecta orientalia. *Memorie Accad. pont. Nuovi Lincei* (Ser. 2). 17:75-108.
- 1933b — Insectes du Congo Belge. Série VIII. *Revue Zool. Bot. afr.* 23:308-318.
- 1934 — Décadas de insectos nuevos. *Brotéria.* 3:15-24.
- 1935a — Névroptères et insectes voisins — Chine et pays environnantes (Huitième série). *Notes Ent. chin.* 2:85-203.

- 1935b — Décadas de insectos nuevos. **Brotéria**. 31:97-107.
- 1936 — Névroptères et insectes voisins. — Chine et pays environnants (Neuvième série). **Notes Ent. chin.** 3:37-62.
- NEEDHAM, J.G.
- 1909 — Notes on the Neuroptera in the collection of the Indian Museum. **Rec. Indian Mus.** 3:185-210.
- NEWMAN, E.
- 1838 — Entomological notes. **Entomological Mag.** 5:168-181.
- 1850 — Description of a new species of *Panorpa* from New Holland. **Proc. R. ent. Soc. Lond.** 1850:14.
- OKAMOTO, H.
- 1925 — The Mecoptera of Corea. **Bull. agric. Exp. Stn. Chosen.** 2:17-24.
- PACKARD, A.S.
- 1870 — New and rare American Neuroptera, Thysanura and Myriapoda. **Proc. Boston Soc. nat. Hist.** 13:405-411.
- PANZER, G.W.
- 1796 — **Faunae insectorum Germaniae initia oder Deutschlands Insecten.** Nürnberg.
- PENNY, N.D.
- 1969 — A new species of *Bittacus* (Mecoptera: Bittacidae) from India. **Oriental Insects.** 3:161-164.
- 1977a — A systematic study of the family Boreidae (Mecoptera). **Kans. Univ. Sci. Bull.** 51: 141-217.
- 1977b — Two new species of Bittacidae (Mecoptera) from the Amazon Basin. **Acta Amazônica.** 7:423-427.
- PLIGINSKY, V.
- 1914 — Novye vidy roda *Boreus* Latr. iz' Kryma (Neuroptera, Panorpidae). **Russk. ent. Obozr.** 14:363-367.
- 1930 — Novye vidy roda *Boreus* Latr. (Neuroptera, Panorpidae). **Russk. ent. Obozr.** 24:230-231.
- PONOMARENKO, A.G. & RASNITSYN, A.P.
- 1974 — New mesozoic and coenozoic Protomecoptera (russ.). **Paleontol. Zhurnal, Moskva.** 4:59-73.
- RADERMACHER,
- 1779 — Verh. batav. Genoot. Kunst. Wet. 1:100.
- RAMBUR, M.P.
- 1842 — **Histoire naturelle des insectes.** Névroptères. 1-534. Paris.
- RIEK, E.
- 1954 — The Australian Mecoptera or scorpion-flies. **Austr. J. Zool.** 2:143-168.
- 1973 — A revision of Australian scorpion flies of the family Choristidae (Mecoptera). **J. Austr. ent. Soc.** 12:103-112.
- RUST, M.K. & BYERS, G.W.
- 1976 — The Mecoptera of India and adjacent regions. **Kans. Univ. Sci. Bull.** 51:19-90.
- SAY, T.
- 1823 — Descriptions of insects belonging to the order Neuroptera Linn. Latr., collected by the expedition authorized by J.-C. Calhoun etc., under the command of major S.H. Long. **Godman's Western Quarterly Reporter.** 2:160-165.
- SCHLEE, H.B. & SCHLEE, D.
- 1976 — Bibliographie der rezenten und fossilen Mecoptera (Insecta). **Stuttgarter Beitr. Naturk.**, Ser. A, Nr. 282: 1-76.
- SCHRANK, F. von P.
- 1776 — **Beiträge zur Naturgeschichte.** 1-137. Leipzig.
- SELYS-LONGCHAMPS, E.
- 1868 — Observations sur les Névroptères de Port Denison, reçu par M. Weyers. **Annls. Soc. ent. Belg.** 11:76-78.
- SMITHERS, C.N.
- 1959 — A list of the Mecoptera of southern Rhodesia with the description of a new species and key. **Proc. R. ent. Soc. Lond.** (ser. B). 28:180-184.
- 1960 — A new species and additional records of Mecoptera from Southern Rhodesia. **J. ent. Soc. sth. Afr.** 23:45-49.
- 1973 — New species and records of Australian Bittacidae (Mecoptera). **J. Austr. ent. Soc.** 12:296-300.
- SNODGRASS, R.E.
- 1927 — Morphology and mechanism of the insect thorax. **Smithson. misc. Collns.** 80:1-108.
- SOUZA LOPES, H. DE & MANGABEIRA, O.
- 1942 — Sobre algumas espécies brasileiras do gênero "Bittacus" Latr., 1807, com a descrição de três espécies novas (Panorpatae, Bittacidae). **Revta. brasil. Biol.** 2:331-341.
- SWEDERUS, N.
- 1787 — Fortsättning af beskrifningen pa 50 nya species af insekter. **Kongl. Svenska Vetenskaps-Acad. nya Handl.** 8:276-290.
- TARBINSKY, S.P.
- 1962 — O nakhozhdenii lednichnika, *Boreus* sp. n. (Mecoptera, Boreidae) v predgor'yakh Kirgizskovo Ala-Too. **Sbornik entomologische-skikh. Rabot (Akad. Nauk Kirgizsk S.S.R.).** 1:131-136.

- TILLYARD, R.J.**
- 1917 — Studies in Australian Mecoptera n.º 1. The new family Nannochoristidae, with descriptions of a new genus and four new species: and an appendix descriptive of a new genus and species from New Zealand. *Proc. linn. Soc. N.S.W.* 42:284-301.
- TJEDER, B.**
- 1936 — Schwedisch-chinesische wissenschaftliche Expedition nach den nordwestlichen Provinzen Chinas, unter Leitung von Dr. Sven Hedin und Prof. Su Ping-chang. Insekten gesammelt vom schwedischen Arzt der expedition Dr. David Hummel 1927-1930. *Ark. Zool.* 27A:1-14.
- 1951 — Mecopteren aus Fukien. *Bonner zool Beitr.* 1:286-290.
- 1956a — Zwei neue ost-asiatische *Bittacus*-arten (Mecoptera : Bittacidae). *Beitr. Ent.* 6:45-53.
- 1956b — Mecoptera. The scorpion flies of Southern Africa. In. Hanstrom, B. et al. (ed): *South African animal Life*. Results of the Lund University expedition in 1950-1951. Bd. 3:344-390.
- 1974 — Bittacidae from Burma, collected by R. Malaise (Mecoptera). *Ent. Tidskr.* 94:188-193.
- UHLER, P.R.**
- 1858 — Descriptions of new species of neuropteroous insects, collected by the North Pacific exploring expedition under Capt. John Rodgers. *Proc. Acad. nat. Sci. Philad.* 1858:29-31.
- WALKER, F.**
- 1853 — List of the specimens of Neuropterous insects in the collection of the British Museum. Part II (Sialidae-Nemopterides). Pp. 193-476.
- WARD, P.H.**
- 1978 — The taxonomy and biology of *Panorpa lacedaemonia* Lauterbach (Mecoptera, Panorpidae). *Entomologist's Gazette*. 29:79-98.
- WEBB, D.W.**
- 1974 — New species of *Panorpa* (Mecoptera: Panorpidae). *Ent. News.* 85:171-173.
- WEELE, H.W. VAN DER**
- 1909 — Mecoptera and Planipennia of Insulinde. With biological notes from Edw. Jacobson. *Notes Leyden Mus.* 31:1-100.
- WESTWOOD, J.O.**
- 1910 — Neuroptera. 2. Planipennia et Panorpata. In: "Sjosteds Kilimandjaro-Maru Expedition". Bd. 2, Abteil. 13:1-26.
- WILLMANN, R.**
- 1973 — Eine neue *Panorpa*-Art aus Kleinasien: *Panorpa aspoecki* n. sp. (Mecoptera, Panorpidae). *Ent. Z.* 83:97-101.
- 1974 — *Panorpa tatvana* n. sp. (Mecoptera). *Ent. Mitt. zool. Mus. Hamburg.* 4:465-469.
- 1975 — Die Gattung *Panorpa* (Insecta, Mecoptera) in der Türkei. *Annln. naturh. Mus. Wien.* 79:543-564.
- 1976a — Zwei neue *Neopanorpa*-Arten aus Vietnam (Mecoptera). *Annls hist. nat. Mus. natn. hung.* 68:65-68.
- 1976b — Ein neue europäische *Panorpa* (Mecoptera, Panorpidae). *Entomol. Zeitschr.* 86:60-64.
- 1976c — Zur Kenntnis der italienischen Mecoptera (Insecta). *Boll. Mus. Civ. Stor. Nat., Verona.* 3:157-177.
- 1977 — Die subspezifische Gliederung von *Panorpa germanica* L. auf dem Balkan (Mecoptera: Panorpidae). *Entomologica Scandinavica*. 8:13-28.
- 1978 — Bemerkungen zu anatolischen Mecopteren. *Ann. Naturhist. Mus. Wien.* 81:517-523.
- WOOD, H.G.**
- 1933 — Notes on the South African Bittacidae (Mecoptera). *Ann. Mag. nat. Hist. (Ser. 10).* 12:508-531.
- YIE, S.T.**
- 1951 — The biology of Formosa Panorpidae and morphology of eleven species of their immature stages. *Mem. Coll. Agric. natn. Taiwan Univ.* 2(4):1-111.

(Aceito para publicação em 6/11/78).